



A GREEN PASS LED is illuminated for R-1234yf purity greater than 97%

A RED FAIL LED is illuminated for R-1234yf purity less than 97%

The instrument is supplied complete with an R-134a sample hose, 12 VDC battery clips and all required plumbing housed within a rugged, portable instrument



More Information:

Scan the QR code to learn more about this and other products built with Neutronics technology.

Mini ID R-1234yf

PORTABLE AUTOMOTIVE REFRIGERANT IDENTIFIER FOR R-1234yf (P/N 7-08-1000-64-0)

The low cost Mini ID™ R-1234yf Refrigerant Identifier helps verify the presence and quality of R-1234yf refrigerant in vehicle A/C systems. Avoid potential damage to your A/C service equipment and protect your business from refrigerant contamination. Ideal device for prechecking a vehicle's refrigerant before connecting an A/C service machine.

- Easy to use with 'PASS' or 'FAIL' LED indication
- 'FAULT' and 'EXCESS AIR' LEDs
- Step by step LED indications of the gas sampling process
- Compact and lightweight design
- Rugged construction and housing
- Hand-held and extremely portable
- Built in Mechanical Pump

Application

R-1234yf Vehicle & Virgin Cylinder Testing

Features

Refrigerants	R-1234yf
Test Time	100 Seconds
Calibration	Automatic
Sample Type	Vapor Only 300 psig max.
Temperature	50–120°F (10–49°C)
Power	12 VDC
Warranty	One Year

Certifications

UL, UKCA, CE, RoHS

Accessories

R-1234yf Tank Adapter P/N 6-02-6001-37-0

Replacement Parts

Replacement Flow Restrictor Hose H6-02-6001-53-1

12 VDC Battery Clips H6-01-6000-75-0